71 3848

SCARBOROUGH VILLAGE

SECTION

RECEIVED FOR RECORD '71 JAH 27 PH 2: 02

RECORDER O. HARRION CO.

N. LINE N. & S.W. 4 SEC. 25-17-4-

EAST 75 TH STREET

I, the undersigned Registered Land Surveyor, do hereby certify that the within plat is true and correct and represents a subdivision of a part of the Southwest quarter of Section 25, Township 17 North, Range 4 East, in Marion County, Indians, more particularly described

Commencing at the Northwest corner of said quarter section; thence North 89 degrees 26 minutes 30 seconds East upon and along the North line of said quarter section 66;0.00 feat to the POINT OF BEGINING; thence North 89 degrees 26 minutes 30 seconds East upon and along the North line of said quarter section 86;0.00 feat; thence South 13 degrees 00 minutes 00 seconds Nest 692.80 feet; thence South 13 degrees 28 minutes 30 seconds East 126.75 feet; thence South 19 degrees 28 minutes 30 seconds East 126.75 feet; thence South 30 degrees 00 minutes 00 seconds East 136.55 feet; thence South 30 degrees 00 minutes 00 seconds East 136.55 feet; thence South 30 degrees 00 minutes 00 seconds East 136.55 feet; thence South 50 degrees 00 minutes 00 seconds East 136.55 feet; thence South 50 degrees 00 minutes 00 seconds West 120.00 feet; thence South 50 degrees 00 minutes 00 seconds West 120.00 feet; thence South 50 degrees 00 minutes 00 seconds West 57.45 feet thence South 50 degrees 11 minutes 30 seconds West 57.45 feet thence South 50 degrees 12 minutes 30 seconds West 57.45 feet thence South 50 degrees 12 minutes 30 seconds West 58.00 feet 10 minutes 30 seconds West 59.40 feet 10 minutes 30 seconds West 50 minutes 30 seconds Mest 407.70 feet, North 10 degrees 28 minutes 30 seconds West 407.77 feet, South 89 degrees 28 minutes 30 seconds West 407.77 feet, South 89 degrees 28 minutes 30 seconds West 407.77 feet, South 89 degrees 22 minutes 30 seconds West 407.77 feet, South 89 degrees 22 minutes 30 seconds West 407.77 feet, South 89 degrees 22 minutes 30 seconds West 407.60 feet, at which point this description leaves the North 11 mes 67 said Scarborough Village, Section 1, by the following bearings and distances: North 05 degrees 28 minutes 30 seconds West 407.60 feet, at which point this description leaves the North 11 mes 67 said Scarborough Village; thence North 00 degre

This subdivision consists of 31 lots numbered 32 to 62 (both inclusive). The size of the lots and widths of the streets are shown in feet and decimal parts thereof.

CERTIFIED: September 16, 1970

Registered Land Surveyor No. 10331

74 3848

SOLY ENTERED FOR TAXATION

020890 JAN2771

This instrument prepared by R. M. Stoeppelwerth.


APPROVED THE 274

AUDITOR OF MARION COUNTY

The Worker

Edward & Stylenson J. COUNTY AUDITOR 71 3848

38 71 3848 33 R 20°00'00 79.78' 452.48' /2.46269° /57.74' 200000 84,19 477.48 11.99969 146,67 20°00'00" 88.60" \$02.48" //.402.67" 175.40" 56 4-A 9°28'30° 47.65' 575.00' 9.96448° 95.09' 4-E 9°28'30° 49.72' 600.00' 9.54930° 99.22' 4-8 9°28'30' \$1.80' \$25.00' 9.16732° 103.36' 10-A 27°28'30' 110.01' \$50.00' 12.73240° 215.79' 7.37'30' 24.46' 400.00' /4.323 94" 53.23' 7°37'30° 28.32' 425.00' /3.48/36° 86.56' 80°45'30' 50.09' 273.91' 20.9/774° 99.08' 15. £ 20°45'30" 54.66" 298.91" 19.16824" 108.12" /5.8 20°43°20′ 59.23 323.91′ /7.68880° //7.16′ /6-A /K°28°20′ 73.02′ 575.00′ 9.96446° /K5.26′ /4°28'80° 74.20′ 600.00′ 9.54930° /5/58′ /4°28'80° 79.31′ 626.00′ 9./4732° /57.90′ P.B. 32 p. 69: FAIR WOOD, HILL.



EAST 75 TE STREET

38

32

CURVE

3-A 20'00'00' 79.78' 452.48' /2.46269° /57.70' 3-E 20'00'00' 84.19' 472.48' //.99969° /66.69'

3.6 (25 cm) 88.00 (20.44) (46.25) (7.55 cm)
4.6 (25 cm) 88.00 (20.44) (46.25) (7.55 cm)
4.6 (25 cm) 87.00 (20.000) 7.56930 (7.50 cm)
4.6 (25 cm) 87.00 (25 cm) 87.00 (7.50 cm)
4.6 (25 cm) 87.00 (7.50 cm) 87.00 (7.50 cm)
4.6 (25 cm) 87.00 (7.50 cm) 87.00 (7.50 cm)
4.6 (25 cm) 87.00 (7.50 cm) 87.00 (7.50 cm)
4.6 (25 cm) 87.00 (7.50 cm)
4.6 (25

user and the other-71 500 27 38 21 62

rem - nam n

74 3449

13. 204.22°

I, the undersigned Registered Land Surveyor, do hereby cortify that the within plat is true and correct and represents a subdictaton of a part of the Southwest quarter of Section 25, Township 17 North, lange & East, in Norion Coarty Sikens, more particularly described

Community at the Northwest rother of said quarter section; thence North 89 degrees 20 minutes 30 servents East upon and along the North Line of said quarter section (\$5.00 feet to the PUNTY O: BENITMY; thence North 89 degrees 20 minutes 30 seconds East upon and along the North Line of said quarter section (\$5.00 feet to the PUNTY O: BENITMY; thence North 89 degrees 20 minutes 30 seconds east section (\$5.00 feet); thence South 31 degrees 30 minutes 30 seconds **east \$5.00 feet; thence South 30 degrees 31 minutes 31 seconds **east \$7.37 feet; thence South 30 degrees 31 minutes 31 seconds **east \$7.37 feet; thence South 30 degrees 31 minutes 31 seconds **east \$7.37 feet; thence South 30 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence south 50 degrees 00 minutes 00 seconds **east \$7.35 feet; thence 50 minutes 00 seconds **east \$7.35

P . Indivision consists of 31 tots numbered 32 to 62 (both inclusive), the size of the lats and widths of the streets are shown in feet and decimal parts thereos.

CERTIFIED: September 16, 1970



M. M. Stoppefsbrth, Registered Land Surveyor No. 10331

74 3849

274 ી JANURRY 1080 PARTIES A

This instrument prepared by $\emptyset,\ \mbox{N.}$ stapppelmenth.

/O-8 21°26'30° /22.21' 500.00° //.457/6° 239.%' //-A 7°37'30' 26.99' 375.00 /5.27887° 49.90' //-E 7°37'30' 84.46' 900.00' /4.32319' 83.23' 292 PART THREE - P. B. 32 p. 69 -PART FOUR-FE 32 p.115 FAIRWOOD HILLS Page 1 of 2

54

56 PROS

71 366

COUNTY APPELLA 71 3848

SCARBOROUGH VILLAGE SECTION TWO

PROTECTIVE COVEYANTS AND RESTRICTIONS

The undersigned Scarborough Village, a partnership, usage of the real estate described in the foregoing Land Surveyor's Certificate do hereby tertify that we lay off, plat and subdivide the same in accordance with the plat. This subdivision shall be known and designated as Scarborough Village, Section 2.

- The streets shown and not heretofore dedicated are hereby dedicated to the public, excepting there is reserved to fairward Citilities, inc., its
 successors and assigns, in each of said streets, a permanent essentit for installation, unintended and repoir of private sanitary sever lines so
 long as the lots in this Addition are serviced by a private sanitary utility.
- All numbered lots in this Modifier shall be designated as residential lots. Only one single-faulty deciling with an attached two- or three-car
 garage shall be premitted on any one lot. Xo structure shall exceed 15 feet in height.
- The ground floor area of the main structure, exclusive of one-story open purches and garages, shall not be less than 1,500 square feet for a one-story deciling, nor less than 1,000 square feet for a deciling of once than one story.
- 4. No building shall be located on any lot moarer to the front lot line or measur to the side agreet line than the minimum building rethack lines shown on the plat. No swelling shall be located on any lot measure that 20 feet to the reas lot line. No sceensory building shall be located closer to any front or side lot line than the required minimum front and side yard distances for the primary swelling. No accessory building shall be located closer to any rear lot line than five (set, but in no case shall is entruch upon any excendent.
- No dwelling shall be erected or placed on any let having a width of loss than eighty feet at the simisum building serbock line, nor shall any shelling be creeted or placed on any lot having an area of loss than 15,000 square feet.
- The strips of ground marked "Utility and/or Drainner Eisesents", shown herein, are nereby reserved for the installation and maintenance of public poles, wires, conduits for gas, water, electric and talephone utilities, and emaining and stony sever, subject at all times to the proper civil authority and to the specific easemant herein reserved. On permanent or other structure Still betweeted existing any substitution and all lot owners shall take their title subject to the rights of the utilities and to the right. Of the utilities and to the right of the utilities and to the right of the utilities and to the right of the utilities and to the right.
- 7. No troller, test, shack, garage, have or other temporary structure erected or placed in this weblitiston shall be at any time used in a residence, temporarily or perimently, nor shall any other structure of a temporary nature be used as a residence.
- No notions or affective trade or activity shall be carried on upon any lot in this subdivesion, nor small anything be done thereon which may be or become a misance or annoyance to the seighborhood.
- No fence, wall, hedge or shrub planting which obstructs sight lines at elevations between two and six feet above the pround shall be placed or possible to remain on any compay lot which to be unlarged a state formed by the struct property line and a line connecting points 25 feet true the intersection of said street lines, or in the care of a remaind property consure, from the intersection of the street property lines extended. The same sight line limitations shall apply to any lot within 10 foor from the intersection of a street line with the sign of a driveway provement or alley line. No trees shall be permitted to remain within such distance of such intersection, unless the foliage is maintained at sufficient height to present obstruction of such sight lines.
- Mailbox and yard lanters design and placement shall be directed by the Architectural Control Commetter. Each lot owner must maintain or rejized in 13th blad.
- No bout, camper, or trailer shall be purked closer to the street than the building setback line. No inogerative or unliceased vehicle shall be parted on or repaired on any lot in this subdivision or an any street thereof.
- 12. No lot shall be used or maintained as a dumping ground (or vabbich. Track, garbage or other wante shall not be kept except in sanitary containers. All incharators or other equipment for the storage or disposal of such material shall be kept in a clean and sanitary condition.
- 1). The Architectural Control Constites is campased of Tumens E, Charder, Richard M., Stooppelvorth, and J. B. King of Indianapolis, Indiana. A majority of the Constites may designed a representative to not for it. In the event of death or resignation of any sember of the Constites, the resulting numbers shall have full authority to designate a superconstraint or this constitute, the resulting numbers shall have full authority to designate a superconst. Sether the numbers of the Constitute nor its designated representative shall be satisfied representative while save or and after 57 years from date of plats. Thereafter, the approximal described herein shall not be required maless prior to said date and effective thereon, an aparity or the lot owners in this subdivision appoints a representative to whall therefore exercise, e. saw powers proviously exercised by said Constitute. The Constitutes approved as required in these covenants shall be in writing. In the orient the Constitute, of the designated representatives for legislations have been subtitied to it, or in any event, if no suit to exploit the construction has been commenced prior to the completion thereof, approval will not be required and the related covenants shall be deemed to have been fully complied with.
- The right of enforcement of these covenants is hereby granted the Netropolitan Revelopment Commission, Division of Planning and Zoning, of Narion Compty, Indiana, lis successors or assigns.

The foresting covenants and restrictions are to run with the land and shall be binding on all parties and all persons claiming under them until Japuary 1, 1999, at which time said covenants and restrictions shall be automatically extended for successive periods of 10 years, unless changed by a vots of the majority of the then obserts of building sites covered by these covenants and restrictions, which shall be remain in full force and effect. In right to enforce those provisions be injunction tengeds with the right or canner county by due process of law of any structure or any part thereof enected or maintained in violation thereof, is hereby dedicated to the public and reserved to the several moners of the several loss in this subdivision and to their heir's and assignment, occept as previded in forceant with shows. Invalidation of any con of these covenants by judgment or court order shall in no wise affect any of the other provisions, which shall remain in this library and the state of the state of the other provisions, which shall remain in this library and the state of the state of the state of the other provisions, which shall remain in this library and the state of the state

Winness our hands and seals this 27th day of lanuary, 1971.

STATE OF INDIANAL COUNTY OF MARION)

Defore me, the undersigned Votary Public in and for the County and State, appeared Thomas 8, Chandler and Richard V. Stopymekerth, known to see to be the partners of Searborough Villace, a partnership, and each acknowledged the execution of the foregoing instrument as his voluntary act and deed for

Ly Commission Express § 11-22.

11 21 21 d JANUARY ? R.M. Oberley

20890 لنا يالة 462 VOID UNLESS RECORDED REFORE 10 - 7 - 72

This instrument prepared by R. M. Stueppelwerth, $71-3848-g_{age} \circ$ of 2