

WEST WOOD II

SECTION ONE

ALSO A REPLAT OF LOT 201 IN WEST WOOD

SECTION FOUR

890050503

South Line of a 1/2 acre tract of land per Instr. No. 74-73173


519°59'21"E - 310.01'

West Line of West Wood - Section Three per Instr. No. 84-82889

West Line of West Wood - Section Four per Instr. No. 87-84449

N.W. Corner of Lot 201 in West Wood - Section Four

• DENOTES A 4 INCHMENT IN VERTICALLY
• DENOTES EIGHT REBAR TO BE CORNERFIELD PAYCHART A



Radius = 325.00'
 Length = 80.78'
 Chord = 80.57'
 Tangent = 40.60'
 Delta = 14°14'27"

N71°04'56"E - 88.70'

S57°50'48"E - 69.69'

S68°56'18"E
112.35'

S89°27'29"E
87.85'

N00°32'51"E - 342.95'

500°32'13"W - 521.53'

N89°27'29"W
100.00'

N00°32'51"E
100.00'


N89°27'29"W
100.00'

D II

201 IN WEST WOOD

880050285

South End of a 15
acre tract of land
per plat No. 74-21973



S 119° 59' 21\"/>

S57°50'48\"/>

S69°56'18\"/>

S89°27'25\"/>

N00°32'31\"/>

S00°32'31\"/>

S00°32'31\"/>

West Line of West Blvd -
Section Three per plat No. 84-82889

West Line of West Wood - Section
Four per plat No. 87-84449

N.W. Corner of Lot 201 in
West Wood - Section Four

- DENOTES A 4\"/>
- DENOTES EITHER A \"CORNER\" OR A \"CAR\" DA.
REBAR TO BE SET. IF WITHIN THE PAVEMENT A
CORNERFIELD SHALL BE SET AND IF NOT WITHIN
PAVEMENT A REBAR WILL BE SET.


880050285

NORTH



SCALE 1\"/>

Radius = 175.00'
 Length = 61.25'
 Chord = 60.34'
 Tangent = 30.94'
 Delta = 20° 03' 13\"/>



S 00° 32' 31" W - 514.36'



Radius = 175.00'
 Length = 61.25'
 Chord = 60.94'
 Tangent = 30.94'
 Delta = 20° 03' 13"


ALL LINES BE CORRECTED
 ACCORDING TO THE
 ORIGINAL RECORDS
 OF THE COUNTY OF
 SAN DIEGO
 MAY 26 1988



Certified: January 14, 1988
 Registered: 17 by 24, 1988
 Surveyor: [Signature]
 Seal: [Seal]


REYNALDO L. HOLLAN, REGISTERED
 LAND SURVEYOR, 50439

South line of M E 174
 Sec. 34 - T10N - R2E



57°25'23"W - 287.40'
58°52'42"W - 1156.14'

1156.14'
58°52'42"W - 1156.14'




57°25'23"W - 287.40'
58°52'42"W - 1156.14'

1156.14'
58°52'42"W - 1156.14'

S.W. Corner of N.E. 174
Sec. 34 - T.10N - R.2E

N 00° 20' 47" E - 552.02'



WEST WOOD II, SECTION ONE

The undersigned, American Community Development Corporation by David E. McKinney, President, being the owner of the above described real estate, does hereby layoff, plat and subdivide the same into lots, common properties, and other facilities for the beneficial use and enjoyment thereof. The right-of-way of Miller Road not previously dedicated is hereby dedicated for the public use, in accord with the above plat.

This subdivision shall be known as WEST WOOD, II SECTION ONE, a subdivision in Maricopa County, Arizona.

1. Lots designated upon the plat as numbered 1 through 88 are hereby reserved for single family, residential use. No new story residence shall be erected on any lot in this addition having a main floor area of less than 900 square feet and no residence with more than one story shall have a main floor area of less than 600 square feet nor less than 900 square feet of total living area exclusive of open porches, garages, or basements.
2. Said property is hereby restricted to residential dwellings for residential use. All buildings or structures erected upon said property shall be of a new construction and no buildings or structures shall be moved from other locations onto said property and no subsequent buildings or structures other than single family houses shall be constructed.
3. Each lot shall be conveyed in a separately designed and legally described parcel of estate subject to the terms, conditions and provisions herein.
4. Front yard building setback lines are hereby established as shown on this plat, between which lines and the property lines of the street there shall be mowed or maintained no building, structure or fence.
5. An individual sewage disposal system shall be installed for use or be used in private for the disposal on any lot within this subdivision. Sewerage power lines shall be available for hook-up and shall be used as the sole and exclusive method for sewage disposal.
6. No animals, livestock or poultry of any kind shall be raised, bred or kept on any lot within this subdivision, except dogs, cats or other animals generally and customarily recognized as household pets, which may be kept if not for any commercial purposes.
7. An individual water supply system shall be installed for use, or be used to supply water to a single family residence constructed on any lot within this subdivision. Individual water systems installed for auxiliary or auxiliary purposes shall be permitted by these restrictions, if otherwise permitted by law and in compliance with all applicable laws, ordinances rules and regulations governing the construction or use thereof; however, all proposed uses of geothermal water systems must initially involve approval from the Architectural Committee of American Community Development Corporation before construction.

4. No animals, livestock or poultry of any kind shall be raised, bred or kept on any lot within this subdivision, except dogs, cats or other animals generally and customarily recognized as household pets, which may be kept if not for any commercial purposes.
5. No individual water supply system shall be installed for use, or be used to supply water to a single family residence constructed on any lot within this subdivision. Individual water systems installed for auxiliary or ancillary purposes shall be permitted by these restrictions, if otherwise permitted by law and in compliance with all applicable laws, ordinances rules and regulations governing the construction or use thereof; however, all proposed uses of geothermal water systems must initially receive approval from the Architectural Committee of American Community Development Corporation before being allowed to be constructed.
6. Every house, garage, dwelling, outbuilding, or other structure permitted to be constructed or remain on any lot shall be completed on the exterior within one (1) year from the start of construction, including at least one (1) coat of paint, stain or varnish on any exterior wood surfaces. All such structures must be completed and the site graded, seeded or sodded and reasonably landscaped within one (1) year from the date of the commencement of construction thereof. During the period of construction of any structure on any lot, the lot shall be kept and maintained in a neat and orderly manner and no trash or other rubbish shall be permitted to accumulate unsuitably on any such lot.
7. All streets and alleys shown and not heretofore dedicated are hereby dedicated to the public.
8. Front and side building lines are established as shown on the plat between which lines and the property lines of the street no structure shall be erected or maintained. No fence, wall, edge or curb planting when obstructs sight lines at intersections between streets. No trees shall be planted or permitted to remain on any corner lot within the triangular area formed by the street property lines and a line connecting points 25 feet from the intersection of said street lines or in the case of a shared property owner, from the intersection of the street line exterior. The same sight line limitations shall apply to any lot within 25 feet from the intersection of a street line with the side of a driveway, pavement or alley line. No trees shall be permitted to remain within such distance of such intersections unless the foliage line is maintained at sufficient height to prevent obstruction of such lines.
9. The Metropolitan Development Commission, its successors and assigns, shall have the right, power or authority, to enforce any covenants, conditions, restrictions or other limitations contained in this plat other than those covenants, conditions, restrictions or limitations that expressly run in favor of the Metropolitan Development Commission provided further, that nothing herein shall be construed to prevent the Metropolitan Development Commission from enforcing any provisions of the individual control ordinance, 58-10-1, as amended, or any conditions attached to approval of this plat by the Metropolitan Development Commission.

7. no individual water supply system shall be installed for use, or be used to supply water to a single family residence constructed on any lot within this subdivision. Individual water systems installed for auxiliary or auxiliary purposes shall be permitted by these restrictions, if otherwise permitted by law and in compliance with all applicable laws, ordinances rules and regulations governing the construction or use thereof; however, all proposed uses of geothermal water systems must initially receive approval from the Architectural Committee of American Community Development Corporation before being allowed to be constructed.
8. Every house, porch, dwelling, outbuilding, or other structure permitted to be constructed or remade on any lot shall be completed on the exterior within one (1) year from the start of construction, including at least one (1) coat of paint, stain or covering on any exterior wood surfaces. All such structures must be completed and the site graded, seeded or sodded and reasonably landscaped within one (1) year from the date of the commencement of construction thereof. During the period of construction of any structure on any lot, the lot shall be kept and maintained in a neat and orderly manner and no trash or other rubbish shall be permitted to accumulate unreasonably on any such lot.
9. All streets and alleys shown and not heretofore dedicated are hereby dedicated to the public.
10. Front and side building lines are established as shown on this plan between which lines and the property lines of the street no structure shall be erected or maintained. No fence, wall, edge or curb existing when abstracts right lines at the time of the plan, or 5 feet above the street, shall be placed or permitted to remain on any corner lot within the triangular area formed by the street property lines and a line connecting points 25 feet from the intersection of said street lines or in the case of a skewed property corner, from the intersection of the street line extended. The same right line limitations shall apply to any lot within 10 feet from the intersection of a street line with the side of a driveway, pavement or alley line. No trees shall be permitted to remain within such distance of such intersection unless the foliage line is maintained at sufficient height to prevent obstruction of such lines.
11. The Metropolitan Metropolitan Commission, its successors and assigns, shall have the right, power or authority, to enforce any covenants, conditions, restrictions or other limitations contained in this plan other than those covenants, conditions, restrictions or limitations that expressly run in favor of the Metropolitan Metropolitan Commission; provided further, that nothing herein shall be construed to prevent the Metropolitan Metropolitan Commission from enforcing any provisions of the individual district ordinances, §§-10-1, et al., or any conditions attached to approval of this plan by the City Council.

12. Enforcement of these covenants and restrictions shall be by any proceeding at law or in equity against any person or persons violating or attempting to violate any covenant or restriction either to restrain violation or to recover damages and costs, and to enforce any lien created by these covenants or restrictions contained in said Declaration of Covenants, Conditions and Restrictions.
11. Invalidity of any one of these covenants or restrictions by judgment or court order shall in no way affect any other provisions which shall remain in full force and effect.
10. These covenants and restrictions shall run with and bind the land, and shall inure to the benefit of and be enforceable by American Community Development Corporation, its successors or assigns, or the owner of any lot in this addition, their respective legal representatives, heirs, successors and assigns, for a term of 20 years from the date this plat is recorded, after which time said covenants and restrictions shall be automatically extended for successive periods of ten (10) years unless an instrument signed by at least 90% during the first 14 years and 75% thereafter of the then owners of the lots has been recorded, agreeing to change said covenants and restrictions in whole or in part.

In witness whereof, American Community Development Corporation, by David C. McKinney, has executed this instrument and caused the same to be affixed thereto this 14th day of January, 1968.

WITNESSED AND SUBSCRIBED:

American Community Development Corporation

By: David C. McKinney
 DAVID C. MCKINNEY, President

STATE OF INDIANA |
 | SS:
 COUNTY OF |

Before me, the undersigned, a Notary Public in and for said County and State, personally appeared American Community Development Corporation by David C. McKinney, who acknowledged the execution of the foregoing instrument as their voluntary act and deed for the uses and purposes therein expressed.

provisions which shall remain in full force and effect.

11. These covenants and restrictions shall run with and bind the land, and shall inure to the benefit of and be enforceable by American Community Development Corporation, its successors, or assigns, or the owner of any lot in this addition, their respective legal representatives, heirs, successors and assigns, for a term of 20 years from the date this plat is recorded, after which time said covenants and restrictions shall be automatically extended for successive periods of ten (10) years unless an instrument signed by at least 50% during the first 16 years and 75% thereafter of the then owners of the lots has been recorded, agreeing to change said covenants and restrictions in whole or in part.

In witness whereof, American Community Development Corporation, by David C. McKinney, has executed this instrument and caused the same to be affixed thereto this 14th day of January, 1988.

OWNER AND SIGNIFICANT

American Community Development Corporation

By: David C. McKinney
DAVID C. MCKINNEY, President

STATE OF INDIANA |
 | SE:
COUNTY OF |

Before me, the undersigned, a Notary Public in and for said County and State, personally appeared American Community Development Corporation by David C. McKinney, who acknowledged the execution of the foregoing instrument as their voluntary act and deed for the uses and purposes therein expressed.

Witness my Hand and Notarial Seal this 14th day of January, 1988.

Notary Public Margaret A. [Signature]
County of Residence Madison
My Commission Expires 2-1-91

8800-550

DEED FOR WEST 1/4 SECTION 11, SECTION 1 AND A PART OF LOT 101 IN WEST
WOOD, SECTION 1418

I, the undersigned Registered Land Surveyor, do hereby certify that I am a Registered Land Surveyor, licensed in compliance with the laws of the State of Indiana and that I have conducted a survey under my direct supervision and to the best of my professional knowledge, information and belief this plat is an accurate representation of that survey and that all monuments shown thereon actually exist; and that all other requirements specified herein, date by me, have been met, and that the deed herein is executed as follows:

A part of the Northwest 1/4 of Section 11, Township 16 South, Range 7 East in Marion County, Indiana and being more particularly described as follows:

Commencing at an iron pin found marking the Northwest Corner of said 1/4 Section; thence North 89° 59' 21" West (assumed bearing) along the north line of said 1/4 Section a distance of 2411.82 feet to a P. S. nail found marking the Northwest Corner of said 1/4 Section; thence South 46° 36' 41" West along the West line of said 1/4 Section a distance of 1722.13 feet to a 3/8" iron nail; thence the bearing of this description thence South 49° 14' 11" West a distance of 110.88 feet; thence South 82° 00' 42" West a distance of 20.40 feet; thence South 49° 14' 11" West a distance of 20.22 feet; thence South 80° 20' 47" West a distance of 54.16 feet; thence North 87° 19' 13" East a distance of 142.70 feet to the point of curvature of a non-tangent curve that has a central angle of 14° 14' 27" and whose radius point bears North 87° 19' 13" East a distance of 125.01 feet; thence (mathematically) along the arc of said curve a distance of 46.78 feet to the end of said curve which is located South 73° 04' 14" West a distance of 125.00 feet from the radius point of said curve; thence North 73° 04' 14" East a distance of 42.14 feet; thence South 73° 04' 14" East a distance of 42.14 feet; thence South 49° 14' 11" West a distance of 142.70 feet; thence South 87° 19' 13" East a distance of 142.70 feet to the South line of a 1/4 Section; thence of 1/4 Section (Instrument 114-2741) in the office of the Recorder of Marion County, Indiana; thence South 87° 39' 21" East along said South line a distance of 110.88 feet to the West line of Westwood-Section Four; as per the plat thereof recorded as Instrument 114-2741 in the office of said Recorder; thence South 46° 11' 11" West along said West line and along the West line of Westwood-Section Four as per the plat thereof recorded as Instrument 114-2741 in the office of said Recorder a distance of 521.81 feet to the Northwest corner of Lot 101 in said Westwood-Section Four (the West three calls are along the boundary of said Lot 101); thence South 43° 21' 13" East a distance of 114.85 feet to the point of curvature of a non-tangent curve that has a central angle of 19° 21' 13" and whose radius point bears North 41° 21' 25" East a distance of 175.00 feet; thence along the arc of said curve a distance of 61.13 feet; thence North 87° 01' 35" West a distance of 115.43 feet to the straight West line of West Wood, Section Four; thence along said West line South 80° 12' 11" West a distance of 114.16 feet to the South line of said 1/4 Section; thence thence South 89° 42' 42" West along said South line a distance of 1644.14 feet to the Northwest Corner of said 1/4 Section; thence North 80° 20' 47" East along the West line of said 1/4 Section a distance of 122.02 feet to the point of beginning, containing 28.122 acres, more or less.

WITNESSED: January 14, 1928

Donald L. Walker
DONALD L. WALKER, Registered
Land Surveyor, 20417



WEST WOOD II

SECTION ONE

ALSO A REPLAT OF LOT 201 IN
WEST WOOD - SECTION FOUR

LOT CURVE DATA

CURVE NO.	RADIUS	LENGTH	CHORD	TANGENT	BEARING
1-A	175.00'	27.84'	27.86'	11.87'	67°07'31"
1-B	175.00'	27.21'	27.27'	11.87'	67°14'08"
2	175.00'	16.16'	16.17'	6.00'	65°17'21"
3	225.00'	10.81'	10.82'	6.31'	67°11'24"
4	225.00'	26.20'	26.27'	15.44'	17°56'02"
5-A	225.00'	61.24'	61.37'	37.88'	16°05'17"
5-B	225.00'	18.75'	18.77'	9.28'	17°19'08"
6-A	50.00'	18.83'	18.86'	8.51'	21°17'09"
6-B	50.00'	26.13'	26.17'	12.81'	41°25'23"
7	50.00'	48.67'	48.77'	28.19'	47°28'34"
8	50.00'	48.67'	48.77'	28.19'	57°30'24"
9	50.00'	43.24'	43.26'	22.50'	44°24'09"
10-A	175.00'	8.26'	8.27'	4.14'	87°42'24"
10-B	50.00'	47.91'	47.97'	25.87'	54°54'01"
10-C	50.00'	45.71'	45.77'	25.22'	51°08'08"
11	175.00'	18.81'	18.87'	9.50'	77°07'30"
12	175.00'	19.58'	19.62'	9.79'	64°26'49"
13	225.00'	29.27'	29.37'	14.88'	67°26'43"
14-A	475.00'	41.42'	41.47'	20.72'	84°59'46"
14-B	225.00'	71.27'	71.37'	37.10'	69°28'46"
15	475.00'	118.98'	119.03'	59.28'	13°32'28"
16	125.00'	62.50'	62.57'	31.23'	24°18'52"
18	150.00'	29.72'	29.82'	15.10'	19°18'20"
19	150.00'	60.80'	60.87'	30.41'	22°55'06"
20	150.00'	48.00'	48.08'	23.47'	22°55'06"
21	150.00'	49.60'	49.67'	24.81'	27°56'06"
22	150.00'	26.71'	26.77'	13.38'	70°12'41"
26	175.00'	45.28'	45.37'	22.73'	14°47'24"
27	175.00'	61.25'	61.34'	30.62'	20°03'11"
28	175.00'	61.25'	61.34'	30.62'	36°03'11"
29	175.00'	61.25'	61.34'	30.62'	38°03'11"
30	175.00'	62.16'	62.25'	31.41'	20°21'04"
31	175.00'	4.67'	4.68'	2.33'	84°32'29"
32	275.00'	11.41'	11.43'	5.70'	81°00'21"
33	275.00'	21.48'	21.57'	10.72'	64°32'21"
34	225.00'	9.14'	9.16'	4.58'	81°16'37"
35	225.00'	55.81'	55.97'	27.98'	69°50'41"
37	175.00'	54.82'	54.97'	27.48'	68°22'15"
38	175.00'	6.13'	6.14'	3.06'	18°54'03"
42	475.00'	49.74'	49.79'	24.81'	61°18'38"
43-A	475.00'	2.47'	2.47'	1.23'	80°30'49"
43-B	125.00'	16.14'	16.17'	8.06'	67°23'52"
44	125.00'	56.19'	56.27'	28.12'	72°07'22"
45	125.00'	26.19'	26.27'	13.06'	29°47'22"
46-A	50.00'	4.80'	4.80'	2.40'	69°30'40"
46-B	50.00'	22.23'	22.28'	11.11'	37°57'51"
46-C	175.00'	16.71'	16.78'	8.37'	67°18'20"
47	50.00'	58.48'	58.58'	29.28'	68°19'35"
48	50.00'	22.78'	22.82'	11.38'	30°18'23"
49	50.00'	43.78'	43.88'	21.89'	58°10'22"
50	50.00'	43.78'	43.88'	21.89'	58°18'23"
51-A	375.00'	30.81'	30.97'	15.47'	66°58'24"
51-B	50.00'	14.86'	14.90'	7.43'	17°02'23"
52-A	225.00'	19.35'	19.37'	9.68'	47°42'51"
52-B	275.00'	2.47'	2.47'	1.23'	80°30'49"
53-C	15.00'	88.80'	88.98'	44.49'	68°45'18"
54	125.00'	159.14'	159.27'	79.62'	68°32'21"

WEST WOOD II

SECTION ONE

ALSO A REPLAT OF LOT 201 IN
WEST WOOD - SECTION FOUR

LIFT CURVE DATA

CURVE NO.	RADIUS	LENGTH	CHORD	TANGENT	DELTA
1-A	175.00'	27.04'	27.06'	11.87'	07°07'03"
1-B	175.00'	27.22'	27.24'	11.83'	07°10'00"
2	175.00'	16.16'	16.17'	6.00'	09°17'31"
3	225.00'	16.61'	16.63'	6.31'	09°42'04"
4	225.00'	26.30'	26.32'	10.44'	17°50'02"
5-A	225.00'	67.18'	67.20'	27.00'	18°03'17"
5-B	225.00'	10.75'	10.77'	4.00'	17°18'00"
6-A	225.00'	10.88'	10.90'	4.01'	21°27'00"
6-B	225.00'	16.18'	16.20'	6.01'	07°25'33"
7	225.00'	46.07'	46.09'	18.19'	13°10'34"
8	225.00'	45.24'	45.26'	17.95'	07°20'34"
9	225.00'	45.24'	45.26'	17.95'	07°20'07"
10-A	175.00'	4.44'	4.46'	1.68'	07°42'00"
10-B	175.00'	47.01'	47.03'	18.07'	07°40'01"
10-C	175.00'	45.31'	45.33'	17.88'	07°40'00"
11	175.00'	10.81'	10.83'	4.00'	27°07'30"
12	175.00'	11.21'	11.23'	4.09'	04°20'49"
13	225.00'	29.22'	29.24'	11.00'	07°16'43"
14-A	225.00'	41.42'	41.44'	15.81'	04°09'46"
14-B	225.00'	7.19'	7.21'	2.60'	05°26'46"
15	225.00'	110.00'	110.02'	42.00'	13°32'30"
16	225.00'	42.30'	42.32'	15.92'	16°10'52"
17	225.00'	19.72'	19.74'	7.00'	19°10'30"
18	225.00'	68.20'	68.22'	26.41'	22°45'00"
19	225.00'	48.00'	48.02'	18.47'	22°45'00"
20	225.00'	48.00'	48.02'	18.47'	22°45'00"
21	225.00'	20.73'	20.75'	7.48'	14°47'34"
22	225.00'	45.28'	45.30'	17.73'	14°47'34"
23	175.00'	61.25'	61.27'	23.41'	20°03'11"
24	175.00'	61.25'	61.27'	23.41'	20°03'11"
25	175.00'	62.16'	62.18'	23.41'	20°21'00"
26	175.00'	4.67'	4.69'	1.73'	01°32'00"
27	225.00'	18.43'	18.45'	6.72'	03°00'11"
28	225.00'	21.48'	21.50'	7.92'	04°32'31"
29	225.00'	7.11'	7.13'	2.58'	01°36'53"
30	225.00'	55.01'	55.03'	20.50'	09°50'41"
31	225.00'	54.32'	54.34'	20.46'	09°32'15"
32	225.00'	6.11'	6.13'	2.24'	01°50'03"
33	225.00'	49.08'	49.10'	18.41'	09°18'10"
34	225.00'	2.47'	2.49'	0.92'	00°20'41"
35	225.00'	16.18'	16.20'	6.00'	07°23'32"
36	225.00'	54.19'	54.21'	20.38'	20°04'22"
37	225.00'	54.19'	54.21'	20.38'	20°04'22"
38-A	10.00'	4.00'	4.00'	1.50'	05°20'00"
38-B	10.00'	27.31'	27.33'	10.56'	21°32'53"
38-C	10.00'	16.71'	16.73'	6.37'	07°30'10"
39	20.00'	50.48'	50.50'	19.76'	08°09'35"
40	20.00'	23.78'	23.80'	9.44'	10°18'22"
41	20.00'	23.78'	23.80'	9.44'	10°18'22"
42	20.00'	41.78'	41.80'	16.41'	10°18'22"
43-A	225.00'	10.01'	10.03'	3.67'	00°50'24"
43-B	225.00'	14.96'	14.98'	5.63'	17°08'23"
44-A	225.00'	15.25'	15.27'	5.68'	01°43'41"
44-B	225.00'	2.67'	2.69'	1.02'	00°30'49"
45	225.00'	10.00'	10.02'	3.71'	00°49'18"
46	225.00'	133.16'	133.18'	51.05'	00°33'21"
47	225.00'	70.17'	70.19'	27.08'	00°40'30"
48	225.00'	140.30'	140.32'	54.16'	00°50'11"
49	175.00'	9.49'	9.51'	3.59'	02°01'20"
50	175.00'	18.01'	18.03'	6.74'	02°10'20"
51	175.00'	18.01'	18.03'	6.74'	02°10'20"
52	175.00'	99.07'	99.09'	38.45'	17°37'31"
53-A	225.00'	35.72'	35.74'	13.27'	07°55'49"
53-B	225.00'	10.43'	10.45'	3.82'	04°52'10"
54	225.00'	55.62'	55.64'	21.03'	10°01'31"
55	225.00'	65.61'	65.63'	24.90'	10°01'31"
56	225.00'	65.61'	65.63'	24.90'	10°01'31"
57	225.00'	45.61'	45.63'	17.00'	10°01'31"
58	225.00'	40.32'	40.34'	14.85'	10°43'42"
59-A	225.00'	0.04'	0.06'	0.15'	07°11'21"
59-B	225.00'	79.40'	79.42'	30.10'	10°04'00"
60	225.00'	41.00'	41.02'	15.04'	10°01'57"
61	225.00'	83.00'	83.02'	31.34'	10°01'57"
62	225.00'	70.11'	70.13'	27.04'	12°01'57"
63-A	225.00'	19.03'	19.05'	7.07'	07°17'51"
63-B	225.00'	25.91'	25.93'	9.51'	00°11'24"
64	225.00'	11.22'	11.24'	4.14'	00°07'06"
65	225.00'	1.45'	1.47'	0.55'	00°01'45"
66	225.00'	21.00'	21.02'	7.96'	07°51'12"
67	225.00'	21.00'	21.02'	7.96'	07°51'12"
68	225.00'	11.42'	11.44'	4.21'	05°09'21"
69	225.00'	26.04'	26.06'	10.04'	05°21'03"
70-A	225.00'	27.01'	27.03'	10.04'	17°01'03"
70-B	225.00'	19.91'	19.93'	7.37'	01°01'03"



08000585

STREET CURVE DATA

CURVE NO.	STARTING POINT	LENGTH	CHORD	TANGENT	DELTA	ORDINATE
1-A	725.00'	44.52'	48.65'	14.15'	12° 31' 10"	19.46475'
1-C/L	750.30'	41.13'	47.65'	11.65'	12° 31' 20"	20.46701'
1-B	175.00'	17.14'	17.54'	10.46'	12° 31' 30"	12.36941'
2-A	425.00'	102.32'	295.05'	197.02'	67° 46' 11"	11.40116'
2-C/L	450.00'	120.00'	313.30'	167.10'	67° 46' 21"	12.71229'
2-B	475.00'	115.43'	136.97'	68.10'	67° 46' 31"	12.06631'
2-C	475.00'	172.32'	191.47'	76.83'	10° 22' 25"	12.06725'
3-A	125.00'	247.78'	162.89'	111.43'	44° 02' 19"	17.03941'
3-C/L	150.00'	260.01'	267.40'	141.31'	44° 02' 29"	18.13022'
3-B	175.00'	140.72'	201.10'	151.45'	44° 02' 39"	19.21005'
4-A	125.00'	50.17'	54.10'	27.15'	50° 12' 50"	17.65947'
4-C/L	150.00'	50.00'	49.94'	29.04'	50° 12' 50"	17.09070'
4-B	175.00'	45.81'	45.70'	27.91'	50° 12' 50"	18.41151'
5-A	150.00'	11.31'	11.29'	14.71'	50° 12' 54"	20.66729'
5-C/L	125.00'	17.90'	17.86'	19.71'	50° 12' 54"	19.46470'
5-B	150.00'	41.13'	41.02'	19.00'	50° 12' 54"	11.91011'
6-A	125.00'	54.43'	50.52'	15.42'	12° 51' 10"	20.46470'
6-C/L	150.00'	45.00'	44.94'	17.60'	12° 51' 10"	20.66700'
6-B	175.00'	35.14'	35.25'	14.77'	12° 51' 10"	12.74064'
7-A	175.00'	89.30'	91.42'	47.16'	10° 17' 01"	11.74044'
7-C/L	200.00'	100.00'	102.94'	102.05'	10° 17' 11"	19.66709'
7-B	225.00'	122.00'	127.31'	77.75'	10° 17' 21"	19.46470'
8-A	175.00'	47.50'	46.49'	41.44'	10° 18' 52"	11.71044'
8-C/L	150.00'	15.00'	14.72'	14.10'	10° 18' 52"	10.19717'
8-B	125.00'	62.30'	61.85'	31.92'	10° 18' 52"	11.07663'
9-A	100.00'	166.10'	146.44'	107.59'	74° 00' 15"	27.11570'
9-C/L	125.00'	200.10'	201.04'	114.17'	74° 00' 25"	28.61221'
9-B	150.00'	144.75'	219.15'	161.25'	74° 00' 35"	10.11719'
10-A	125.00'	211.29'	181.03'	140.71'	17° 41' 11"	15.81661'
10-C/L	150.00'	233.55'	224.42'	149.09'	17° 41' 21"	18.19715'
10-B	175.00'	295.04'	281.81'	147.17'	17° 41' 31"	12.76046'
11-A	175.00'	45.81'	45.70'	27.91'	10° 12' 50"	20.66729'
11-C/L	150.00'	50.00'	49.94'	29.04'	10° 12' 50"	19.09070'
11-B	125.00'	54.17'	54.10'	27.15'	10° 12' 50"	17.65947'
12-A	125.00'	65.00'	64.89'	12.61'	11° 23' 11"	17.62947'
12-C/L	100.00'	60.00'	59.90'	10.10'	11° 23' 21"	19.09070'
12-B	175.00'	2.47'	2.47'	1.23'	00° 33' 49"	20.61449'
12-C	175.00'	2.47'	2.47'	1.23'	00° 33' 49"	20.61449'
13-A	175.00'	60.11'	60.07'	10.54'	11° 18' 10"	15.23046'
13-C/L	150.00'	65.00'	64.81'	12.57'	11° 18' 20"	14.32146'
13-B	125.00'	69.89'	68.69'	14.61'	00° 14' 30"	11.40116'
14-A	125.00'	141.31'	117.20'	42.60'	60° 17' 01"	15.03941'
14-C/L	150.00'	130.00'	117.92'	40.41'	60° 17' 11"	17.21005'
14-B	175.00'	140.72'	111.70'	41.21'	60° 17' 21"	19.21005'